

INFORMED CONSENT FOR COVID-19 VACCINE - *continued*

What are the risks of being vaccinated against COVID-19?

It is common for these side effects to impact your ability to do daily activities, but should go away in a few days. Symptoms may be worsened during a second dose (in the Pfizer-BioNTech or Moderna vaccines). Additional medical care may be required if these symptoms persist.

- Injection site pain, redness or swelling
- Headache
- Chills and/or fever
- Tiredness
- Muscle and/or joint pain
- Nausea

There is a remote chance that a COVID-19 vaccine could cause a severe allergic reaction, known as anaphylaxis. A severe allergic reaction would usually occur within 4 hours of getting a dose of the vaccine. For this reason, your vaccination provider will likely monitor you after vaccination. Some signs of severe allergic reaction can include:

- Chest pain
- Fast/fluttering/pounding heartbeat
- Leg swelling
- Shortness of breath
- Persistent abdominal pain

This may not be a complete list of side effects for the COVID-19 Vaccine. Serious and unexpected side effects may occur. **If you experience a severe allergic reaction, call 9-1-1 or go to the nearest hospital.**

Informed Consent for Vaccination against COVID-19

I have been provided with and have read (or had read to me) the vaccine consent form and any additional information concerning COVID-19 vaccination, including any applicable fact sheets related to specific vaccinations.

The most up-to-date fact sheets from each vaccination are available online. The most recent version has been made available to me either digitally or in print.

Pfizer-BioNTech: <https://www.cvdvaccine.com/>

Moderna: <https://www.modernatx.com/covid19vaccine-eua/>

Janssen (by Johnson & Johnson): <https://www.janssencovid19vaccine.com/>

I acknowledge that I have had a chance to ask questions of a medical professional about this vaccine. I understand how the vaccine will be administered. I understand the known risks and potential benefits of receiving the vaccine, and understand there may be risks to the vaccine not known at this time. I consent to the COVID-19 vaccination administration.

Type of Vaccine Administered:

- Pfizer-BioNTech: First Dose Second Dose Booster Shot
- Moderna: First Dose Second Dose Booster Shot
- Janssen (by Johnson & Johnson): Original Dose Booster Shot

Vaccine Lot #:

Resident/Employee Signature:

Date:

Resident Representative and/or Durable Power of Attorney for Healthcare Signature/Relationship:

Date:

Facility Representative Signature/Title:

Date:

All information contained herein is current as of printing on September 1, 2021.

For more information about COVID-19 and the vaccines available, visit <https://www.cdc.gov/coronavirus/2019-ncov/vaccines/different-vaccines.html>

Resident/Patient Name:

ID #:

Room #:

Physician:



Resident/Patient

Employee

INFORMED CONSENT FOR COVID-19 VACCINE

What is COVID-19?

COVID-19 disease is caused by a coronavirus, SARS-CoV-2. You can get COVID-19 through contact with another person who has the virus. It is predominantly a respiratory illness that can affect other organs. People with COVID-19 have had a wide range of symptoms ranging from mild symptoms to severe illness. Symptoms may appear 2 to 14 days after exposure. Symptoms may include:

- fever or chills
- diarrhea
- nausea or vomiting
- congestion or runny nose
- sore throat
- new loss of taste or smell
- headache
- muscle or body aches
- fatigue
- shortness of breath
- cough

What are the COVID-19 vaccines and how are they administered?

Three (3) COVID-19 vaccines are available. They all vary in how they are administered.

- Pfizer-BioNTech COVID-19 Vaccine is administered in two (2) shots, 21 days apart. Both doses administered in the muscle of the upper arm. This vaccine is **approved by the FDA** for use by those 16 years and older. This vaccine is authorized under the Emergency Use Authorization (EUA) by the FDA for those 12-15 years old.
- Moderna COVID-19 Vaccine – Taken in two (2) shots, 28 days apart. Both doses administered in the muscle of the upper arm. This vaccine is currently authorized for those 18 years and older under the Emergency Use Authorization (EUA) by the FDA.
- Janssen (by Johnson & Johnson) COVID-19 Vaccine – Administered in one (1) shot. Dose administered in the muscle of the upper arm. This vaccine is currently authorized for those 18 years and older under the Emergency Use Authorization (EUA) by the FDA.

The duration of protection is currently unknown for all vaccinations. The vaccines are not interchangeable. A medical professional may suggest additional doses (“booster shots”) be administered as additional protection against COVID-19.

What should your vaccination provider know about you prior to getting vaccinated against COVID-19?

Tell your vaccination provider about all medical conditions, including if you:

- | | | |
|--|-----------------------------|------------------------------|
| • Have any allergies? If yes, to what and reaction: _____ | <input type="checkbox"/> No | <input type="checkbox"/> Yes |
| • Have a fever? | <input type="checkbox"/> No | <input type="checkbox"/> Yes |
| • Have a bleeding disorder or are on a blood thinner? | <input type="checkbox"/> No | <input type="checkbox"/> Yes |
| • Are immunocompromised or are on a medicine that affects your immune system? | <input type="checkbox"/> No | <input type="checkbox"/> Yes |
| • Have received another COVID-19 vaccine? | <input type="checkbox"/> No | <input type="checkbox"/> Yes |
| • Have taken any over-the-counter medicine, such as ibuprofen, aspirin or acetaminophen? | <input type="checkbox"/> No | <input type="checkbox"/> Yes |
| • Are pregnant or plan to become pregnant? | <input type="checkbox"/> No | <input type="checkbox"/> Yes |
| • Are breastfeeding? | <input type="checkbox"/> No | <input type="checkbox"/> Yes |

What are the benefits of being vaccinated against COVID-19?

According to the CDC, COVID-19 Vaccines are safe and effective, and especially important for older adults and those with underlying health problems. They can keep you from getting and spreading the virus that causes COVID-19, help prevent serious illnesses if you do get COVID-19 and may also protect people around you. While COVID-19 vaccines may cause side effects, vaccines cannot give someone COVID-19.

